



DELFAST RURAL RANGE

PlaceMakers[®]

DELFAST[®]
NAILED IT



NEW ZEALAND BORN & BRED.

OUR STORY

Supporting the industries at the heart of New Zealand since '92.

Rural, construction, and manufacturing are all industries at the heart of New Zealand. Working in New Zealand's climate and landscapes is unique and has its own challenges, but we're proud to be kiwis. It shapes our family, and it shapes our brand.

Grandpa was farming since high school, but in 1964 he made the decision to sell the farm to better support his family. Grandpa then moved his family to Palmerston North, where he developed his sales skills. In 1992, Delfast was started by Grandpa's sons, Andrew and Ian.

Through the relationships we've built with our end-users, we've been able to develop over 1000 product lines that are ideally suited to our end-users' needs. A pivotal point for Delfast was when we saw a need for a better fencing product than what was on the local market. So in 1998, we developed a contractors stapler that changed fencing forever; a product that would last and worked with New Zealand's unique conditions.

Grandpa's commitment to people has remained a key part of who we are. Our goal is to create an environment where people are confident to own the Delfast products they have.

To think smarter, not harder for our end-users; to make building the best, effortlessly.

CONTACT US

Freephone 0508 782 753

Address 293 Heads Road, PO Box 990,
Wanganui, 4501, New Zealand

Online delfast.com
sales@delfast.com

BATTEN STAPLING

3.15mm Cordless Stapler

3.94
kg



Item Code	Staple	Range (mm)	Width (mm)	Fastener Capacity	PlaceMakers SKU Code
NAC-CB315	3.15 Series, Plain, Barbed & Ribbed	33-40	108	75	5082405




What's in the case?

- ▶ 3.15mm Cordless Stapler
- ▶ Charger
- ▶ 2 x Batteries



Fires plain, barbed and ribbed fence batten staples.



Specifications:

- ▶ Battery - Li-ion 7.2V
- ▶ Charge Time - 2 Hours
- ▶ Shots per Hour - Up to 1000
- ▶ Shots per Charge - Up to 4000
- ▶ Shots per Fuel Cell - Up to 1200



Belt hook



Li-ion Battery



Easy depth adjustment



Balanced handle

BATTEN STAPLING

3.15mm Ribbed Staples + Fuel Cells

- ▶ **Crown Width** - 12.5mm
- ▶ **Wire Size** - 3.15mm
- ▶ **To Suit** - Delfast® CB315, ST315i
- ▶ **Common Uses** - Fence Battening
- ▶ **Collation** - Glue Adhesive



30% Extra Holding Power

Item Code	Leg Length (mm)	Point	Finish	Box Qty	Shank	PlaceMakers SKU Code
FS-IMPR3.15/33	33	Divergent	Class 4 Galvanised	1,500/2	Ribbed	5082916
FS-IMPR3.15/40	40	Divergent	Class 4 Galvanised	1,500/2	Ribbed	5082917
FS-IMPR3.15/33SS	33	Divergent	Stainless Steel	1,500/2	Ribbed	5082918
FS-IMPR3.15/40SS	40	Divergent	Stainless Steel	1,500/2	Ribbed	5082919

3.15mm Barbed Staples + Fuel Cells

- ▶ **Crown Width** - 12.5mm
- ▶ **Wire Size** - 3.15mm
- ▶ **To Suit** - Delfast® CB315, ST315i
- ▶ **Common Uses** - Fence Battening
- ▶ **Collation** - Plastic



Item Code	Leg Length (mm)	Point	Finish	Box Qty	Shank	PlaceMakers SKU Code
FS-IMPB3.15/33	33	Divergent	Xtra-life Aluminized	1,800/2	Barbed	5082920
FS-IMPB3.15/40	40	Divergent	Xtra-life Aluminized	1,500/2	Barbed	5082921



3.15mm Plain Staples + Fuel Cells

- ▶ **Crown Width** - 12.5mm
- ▶ **Wire Size** - 3.15mm
- ▶ **To Suit** - Delfast® CB315, ST315i
- ▶ **Common Uses** - Fence Battening
- ▶ **Collation** - Plastic



Item Code	Leg Length (mm)	Point	Finish	Box Qty	Shank	PlaceMakers SKU Code
FS-IMP3.15/33	33	Divergent	Xtra-life Aluminized	2,000/2	Smooth	5082922
FS-IMP3.15/40	40	Divergent	Xtra-life Aluminized	1,800/2	Smooth	5082923



BATTEN STAPLING

3.15mm Batten Stapler

2.45
kg




Item Code	Staple	Range (mm)	Width (mm)	Operating PSI	Fastener Capacity	PlaceMakers SKU Code
NNK-B315FBS	3.15 Series, Plain, Barbed & Ribbed	33-40	86	120	75	5082924




What's in the case?


- ▶ 3.15mm Batten Stapler
- ▶ 100ml Air Tool Oil
- ▶ Safety Glasses



ITALIAN MADE



Fires plain, barbed and ribbed fence batten staples.



- ▶ **Italian Made:**
Known to outlast & outperform Asian equivalents.
- ▶ **Dry Fire Lock Out:**
No more blank firing & broken wires when the magazine is empty.



Belt hook



Swivel fitting



Easy depth adjustment




Well balanced

BATTEN STAPLING

3.15mm Ribbed Staples

- ▶ **Crown Width** - 12.5mm
- ▶ **Wire Size** - 3.15mm
- ▶ **To Suit** - Delfast® B315FBS & CB315, ST315
- ▶ **Common Uses** - Fence Battening
- ▶ **Collation** - Glue Adhesive



30% Extra Holding Power

Item Code	Leg Length (mm)	Point	Finish	Box Qty	Shank	PlaceMakers SKU Code
FS-R3.15/33	33	Divergent	Class 4 Galvanised	1,500	Ribbed	5082925
FS-R3.15/40	40	Divergent	Class 4 Galvanised	1,500	Ribbed	5082926
FS-R3.15/33-4.5K	33	Divergent	Class 4 Galvanised	4500	Ribbed	5082927
FS-R3.15/33SS	33	Divergent	Stainless Steel	1,500	Ribbed	5082928
FS-R3.15/40SS	40	Divergent	Stainless Steel	1,500	Ribbed	5082929

3.15mm Barbed Staples

- ▶ **Crown Width** - 12.5mm
- ▶ **Wire Size** - 3.15mm
- ▶ **To Suit** - Delfast® B315FBS & CB315, ST315
- ▶ **Common Uses** - Fence Battening
- ▶ **Collation** - Plastic



Item Code	Leg Length (mm)	Point	Finish	Box Qty	Shank	PlaceMakers SKU Code
FS-B3.15/33	33	Divergent	Xtra-life Aluminized	2,100	Barbed	5082930
FS-B3.15/40	40	Divergent	Xtra-life Aluminized	1,800	Barbed	5082931
FS-B3.15/33-4.2K	33	Divergent	Xtra-life Aluminized	4,200	Barbed	5082932



3.15mm Plain Staples


- ▶ **Crown Width** - 12.5mm
- ▶ **Wire Size** - 3.15mm
- ▶ **To Suit** - Delfast® B315FBS & CB315, ST315
- ▶ **Common Uses** - Fence Battening
- ▶ **Collation** - Plastic



Item Code	Leg Length (mm)	Point	Finish	Box Qty	Shank	PlaceMakers SKU Code
FS-3.15/33	33	Divergent	Xtra-life Aluminized	2,700	Smooth	5082933
FS-3.15/40	40	Divergent	Xtra-life Aluminized	2,100	Smooth	5082934
FS-3.15/33-4.5K	33	Divergent	Xtra-life Aluminized	4,500	Smooth	5082935

BATTEN STAPLING

Farmers 'Starter' Pack



Item code	Stapler	Compressor	Hose	PlaceMakers SKU Code
FBS-BSP1	B315FBS	Farmblazer 10	30m	5082936



Contractor 'Ultimate' Pack

1 Box of Plain and
1 Box of Barbed
33 x 3.15mm Delfast
Fence Batten Staples

Delfast Trailblazer 12 Compressor
- Honda Motor



Delfast 30m Fitted Air Hose



Delfast 3.15mm Fence
Batten Stapler

Item code	Stapler	Compressor	Hose	PlaceMakers SKU Code
FBS-BUP1	B315FBS	Trailblazer 12	30m	5082937

POST STAPLING

4.00mm Cordless Post Stapler

3.95
kg



Item Code	Staple	Range (mm)	Width (mm)	Fastener Capacity	PlaceMakers SKU Code
NAC-CP400	4.00mm Series - Ribbed	50	108	60	5082938



What's in the case?

- ▶ 4.00mm Cordless Stapler
- ▶ Charger
- ▶ 2 x Batteries



Fires Ribbed Post Staples

Proven superior holding power



Specifications:

- ▶ Battery - Li-ion 7.2V
- ▶ Charge Time - 2 Hours
- ▶ Shots per Hour - Up to 1000
- ▶ Shots per Charge - Up to 4000
- ▶ Shots per Fuel Cell - Up to 1200



Belt hook



Insulator adaptors



Easy depth adjustment



Balanced handle

POST STAPLING

4.00mm Ribbed Staples + Fuel Cells

- ▶ **Crown Width** - 18.3mm
- ▶ **Wire Size** - 4.00mm
- ▶ **To Suit** - Delfast® CP400
- ▶ **Common Uses** - Post and Rail Fencing
- ▶ **Collation** - Glue Adhesive



30% Extra Holding Power

Item Code	Leg Length (mm)	Point	Finish	Box Qty	Shank	PlaceMakers SKU Code
FS-IMPR4.00/40	40	Divergent	Class 4 Galvanised	1000/1	Ribbed	5082939
FS-IMPR4.00/45	45	Divergent	Class 4 Galvanised	900/1	Ribbed	5082940
FS-IMPR4.00/50	50	Divergent	Class 4 Galvanised	800/1	Ribbed	5082941

Insulator Adaptors

- ▶ Attaches to the Delfast® 4.00mm Cordless Post Stapler
- ▶ Made from highly durable mild steel
- ▶ Used for livestock fencing, horticulture, heavy mesh installation and predator control fencing

Item Code	Colour	To Suit	Type	PlaceMakers SKU Code
NACP-IAB	White	Beattie®	No18, No 19 & No 17 Wood Post Insulators	5082942
NACP-IAG	Orange	Gallagher®	Wood Post Claw and Pinlock Insulators	5082943
NACP-IAP	Blue	Pel®	P185 and P181 Wood Post Insulators	5082944
NACP-IASP	Red	Speedrite®	S10292 and S1027 Wood Post Insulators	5082945
NACP-IAST	Green	Strainrite®	Joule Shield Wood Post Claw and Pinlock Insulators	5082436





STRIP NAILS

90mm Cordless Nailer

3.49
kg



Comes complete with a plastic carry case, two Li-ion batteries and a charger.

- ▶ **Battery** - Li-ion 7.2V
- ▶ **Charge Time** - 2 Hours
- ▶ **Shots per Hour** - Up to 1000
- ▶ **Shots per Charge** - Up to 4000
- ▶ **Shots per Fuel Cell** - Up to 1200

Item Code	Nail	Magazine Angle	Range	Width	Fastener Capacity	PlaceMakers SKU Code
NAC-CN90	D-Head and Roundhead Nails + Fuel Packs	34°	45-90	108	70	5071251

Actual product may be different to picture shown



D-Head Nail + Fuel 1000 Packs



- ▶ **Head** - D-Head
- ▶ **Collation** - Paper
- ▶ **Angle** - 34°
- ▶ **To Suit** - Delfast® CN90, Paslode® Framemaster®, IMCT, IMET, Makita® GN900SE, Hilti® GX90-WF
- ▶ **Common Uses** - Framing, Pallets, Fencing, Boxes

Item Code	Description	Box Qty	PlaceMakers SKU Code
FN-IMP45G	DELFAST NAIL 45MM GALV 2X FUEL 2000PK	Box 2000	5081934
FN-IMP45RSS	DELFAST NAIL 45MM RING SS 1X FUEL 1000PK	Box 1000	5081871
FN-IMP50B	DELFAST NAIL 50MM BRIGHT RND 3X FUEL 3000PK	Box 3000	5081894
FN-IMP50G	DELFAST NAIL 50MM GALV 3X FUEL 3000PK	Box 3000	5081935
FN-IMP65B	DELFAST NAIL 65MM BRIGHT 3X FUEL 3000PK	Box 3000	5081936
FN-IMP65RG	DELFAST NAIL 65MM GALV RS 3X FUEL 3000PK	Box 3000	5081858
FN-IMP65RG-1000	DELFAST NAIL 65MM GALV RS 1X FUEL 1000PK	Box 1000	5081890
FN-IMP65RSS	DELFAST NAIL 65MM RING SS 1X FUEL 1000PK	Box 1000	5081937
FN-IMP75B	DELFAST NAIL 75MM BRIGHT 3X FUEL 3000PK	Box 3000	5081938
FN-IMP75B-1000	DELFAST NAIL 75MM BRIGHT 1X FUEL 1000PK	Box 1000	5081939
FN-IMP75RG	DELFAST NAIL 75MM RING GALV 3X FUEL 3000PK	Box 3000	5081940
FN-IMP75RG-1000	DELFAST NAIL 75MM RING GALV 1X FUEL 1000PK	Box 1000	5081941
FN-IMP90B	DELFAST NAIL 90MM BRIGHT 3X FUEL 3000PK	Box 3000	5081887
FN-IMP90B-1000	DELFAST NAIL 90MM BRIGHT 1X FUEL 1000PK	Box 1000	5081893
FN-IMP90G	DELFAST NAIL 90MM GALV 3X FUEL 3000PK	Box 3000	5081888
FN-IMP90G-1000	DELFAST NAIL 90MM GALV 1X FUEL 1000PK	Box 1000	5081892
FN-IMP90RSS	DELFAST NAIL 90MM SS 1X FUEL 1000PK	Box 1000	5081857

ACCESSORIES

Air Tool Oil

Designed to lubricate pneumatic (air) driven tools of all types. They possess extreme pressure characteristics for longer tool life under the most demanding conditions.

They also contain rust and oxidation additives for protection from moisture. The naturally high viscosity index provides protection for operating during cold temperatures as well as hot.

Item Code	Size	To Suit	PlaceMakers SKU Code
ML-ATO100	100ml	All pneumatic tools	5082437
ML-ATO500	500ml	All pneumatic tools	5082438
ML-ATO1000	1 Litre	All pneumatic tools	5082439



Cordless Batteries

Item Code	To Suit	PlaceMakers SKU Code
NACP-400999	Delfast® CP400, CB315 (Li-Ion)	5082440



12v Car Power Adaptor

Car power adaptor for battery chargers. Allows you to charge your cordless gun batteries on the go.

Item Code	To Suit	PlaceMakers SKU Code
NACP-12VA	Delfast® CB315	5082441



Cleaning Kit Pneumatic

Everything you need for cleaning your pneumatic tools

Item Code	PlaceMakers SKU Code
ML-B3CK	5082443



Twin Tip Fuel Cell

► To Suit - Delfast® CB315 & CP400, ST315i

Item Code	Weight	Box	Carton Qty	PlaceMakers SKU Code
FC-HMXR	100g	1	12	5081865





DISCLAIMER

Delfast has made every attempt to ensure that the information contained in this catalogue is accurate and reliable. Delfast will not be held responsible for any errors or omissions. Product information and availability in this catalogue may be changed or amended without notice.

©Copyright Delta Group (NZ) Ltd T/A Delfast 2020



@DelfastNZ #DelfastNZ

0508 782 753
delfast.com