



The new FixConn™ range of construction fasteners by Bremick provides a full solution of heavy duty fasteners for timber, steel and concrete.

**EXCLUSIVE TO**



FixConn™ is a registered trademark of




Together we're building  
New Zealand



**SHARKS TOOTH™  
CONSTRUCTION  
SCREW**



*For fastening heavy timber to timber*




GAUGE	LENGTH	DRIVE
14G	75mm	T30 Torx
14G	100mm	T30 Torx


- **T30 Torx Drive Washer Head**  
Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Larger surface area for positive bit engagement and extreme torque.
- **Sharks Tooth™ Thread**  
Provides an aggressive cutting action, dramatically decreasing installation time.
- **B8 Coating**  
Provides maximum corrosion protection in the harshest environments.



**HEAVY DUTY  
CONSTRUCTION  
SCREW**



*For heavy duty fastening timber to timber*



GAUGE	LENGTH	DRIVE
16G	125mm	T40 Torx
16G	150mm	T40 Torx
16G	175mm	T40 Torx
16G	200mm	T40 Torx


- **T40 Torx Drive Washer Head**  
Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Larger surface area for positive bit engagement and extreme torque.
- **7 TPI Thread with Swarf Channel**  
Penetrates large material easily. Provides maximum friction resistance and protection in wet environments.
- **Technoguard Zinc Rich Alu-Flake Polymer Coating**  
Multi-layered Class 3 protective coating, compatible for use in treated timbers.



**HEAVY DUTY  
LANDSCAPING  
SCREW**



*For heavy duty fastening timber to timber*



GAUGE	LENGTH	DRIVE
14G	175mm	Hex 5mm
14G	200mm	Hex 5mm
16G	225mm	Hex 6mm
16G	250mm	Hex 6mm

- **Hex Drive Countersunk Head**  
For a flush finish.
- **Knurled Shank and Swarf Channel**  
Helps prevent board lift and removes debris for faster drilling.
- **Technoguard Zinc Rich Alu-Flake Polymer Coating**  
Multi-layered Class 3 protective coating, compatible for use in treated timbers.



# CONSTRUCTION SCREWS



## METAL DRILLING BATTEN SCREW



For medium duty fastening timber to metal batten





- **Hex Drive Countersunk Head**  
Matches the standard bugle batten range with a flush finish for fixing timber to metal.
- **Self Drilling Tip**  
Fasten to metal up to 5mm thick.
- **B8 Coating**  
Provides maximum corrosion protection in the harshest environments.




## WINGED DEEP DRILLER – METAL



For heavy duty fastening timber to Lintels and I beams





- **T30 Torx Drive and Truss Head**  
Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Positive bit engagement allowing for maximum torque to be applied.
- **14 TPI Thread with Swarf Channel and Winged Deep Driller**  
For deep drilling into steel up to 12.5mm thick, no need to pre-drill.
- **B8 Coating**  
Provides maximum corrosion protection in the harshest environments.



## HEAVY DUTY CONCRETE SCREW



For heavy duty fastening bottom plate and timber to concrete slab





- **T40 Torx Drive Washer Head**  
Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Larger surface area for positive bit engagement and extreme torque.
- **10 TPI Thread**  
For deep penetration into concrete. Pre-drill hole of 6mm required.
- **B8 Coating**  
Provides maximum corrosion protection in moist areas.

## THE RANGE

	PACK 50		PACK 100		PACK 250	
	Bremick SKU / PlaceMakers SKU		Bremick SKU / PlaceMakers SKU		Bremick SKU / PlaceMakers SKU	
<b>SHARKS TOOTH™ CONSTRUCTION SCREW B8™ COATED</b>						
14g x 75mm B8 Coated T30 Torx			STWSTC8140752T	4512628	STWSTC8140752K	4512627
14g x 100mm B8 Coated T30 Torx			STWSTC8141002T	4512630	STWSTC8141002K	4512629
<b>HEAVY DUTY CONSTRUCTION SCREW TECHNOGUARD</b>						
16g x 125mm T3 Technoguard T40 Torx	STWSTCT161252R	4512631				
16g x 150mm T3 Technoguard T40 Torx	STWSTCT161502R	4512632				
16g x 175mm T3 Technoguard T40 Torx	STWSTCT161752R	4512633				
16g x 200mm T3 Technoguard T40 Torx	STWSTCT162002R	4512634				
<b>HEAVY DUTY LANDSCAPE SCREW TECHNOGUARD</b>						
14g x 175mm T3 Technoguard HEX 5mm	SLSCT141754	4511962				
14g x 200mm T3 Technoguard HEX 5mm	SLSCT142004	4511963				
16g x 225mm T3 Technoguard HEX 6mm	SLSCT162254	4511964				
16g x 250mm T3 Technoguard HEX 6mm	SLSCT162504	4511965				
<b>METAL DRILLING BATTEN SCREW B8™ COATED</b>						
14g x 50mm B8 Coated HEX 5mm			SMBBIC8140502T	4512622	SMBBIC8140502K	4512621
14g x 75mm B8 Coated HEX 5mm			SMBBIC8140752T	4512624	SMBBIC8140752K	4512623
14g x 100mm B8 Coated HEX 5mm					SMBBIC8141002K	4512625
<b>WINGED DEEP DRILLER – METAL B8™ COATED</b>						
14g x 65mm B8 Coated T30 Torx			SWTLTC8140652T	4512640	SWTLTC8140652K	4512639
14g x 80mm B8 Coated T30 Torx			SWTLTC8140802T	4512642	SWTLTC8140802K	4512641
<b>HEAVY DUTY CONCRETE SCREW B8™ COATED</b>						
16g x 105mm B8 Coated T40 Torx			SNWSTC8161052T	4512626		

## SYSTEM MATCHED DRIVER BITS



Bremick genuine driver bits are system matched for optimum performance when installing the FixConn™ range of construction fasteners. Our driver bits are manufactured to conform to International Standard specifications, providing the best possible internal recess fit.

## SUPERIOR COATING TECHNOLOGY



**B8™ COATING**  
Double the corrosion protection of conventional Class 4 in category 5 environments



**TECHNOGUARD COATING**  
Multi-layered Class 3 protective coating, compatible for use in treated timbers

## QUALITY TESTED AND ASSURED



The Bremick FixConn™ range of construction screws has undergone rigorous testing to ensure compliance with the relevant Standards. These testing procedures ensure product suitability for the harsh Australian and New Zealand building construction environments. Testing is undertaken in our own NATA accredited laboratory and independently audited outdoor exposure test sites.

## CONTACT US – [bremick.co.nz](http://bremick.co.nz)

**New Zealand (Auckland)**  
E [nthnzsales@bremick.co.nz](mailto:nthnzsales@bremick.co.nz)  
P 9525 2244

**New Zealand (Wellington)**  
E [nthnzsales@bremick.co.nz](mailto:nthnzsales@bremick.co.nz)  
P 4566 9363

**New Zealand (Christchurch)**  
E [nthnzsales@bremick.co.nz](mailto:nthnzsales@bremick.co.nz)  
P 3365 8998

**EXCLUSIVE TO**

